



CONTRACT DATE:	06/03/2022
BUILDING TYPE:	END. MED 40
PLAN VERSION:	SEPT. 2021
BRAND DESIGNER:	
SITE NUMBER:	315870
ENTITY NUMBER:	458985
PA/PM:	Approved
DRAWN BY.:	Author
JOB NO.:	22228

5116 NC 87 SOUTH
FAYETTEVILLE, NC 28306
"Gray's Creek"



ENDEAVOR 2.0
DOOR &
WINDOW
ELEVATIONS
SCHEDULES

A1.1

PLOT DATE: 6/6/2022 2:54:20 PM

1. LAMINATE DOORS 4, 5, 6 & 7 AND PAINT FRAMES 3, 4, 5, 6 & 7. SEE INTERIOR ELEVATION, SHEET A8.0, A8.1 & A8.2.
2. ALL HARDWARE SHALL BE US32D U.O.N.
3. ALL HM FRAMES SHALL BE 16 GA. STEEL U.O.N.
4. ALL LOCKS SHALL BE FALCON 6 PIN INTERCHANGEABLE CORE SUPPLIED AND INSTALLED BY THE G.C. ALL EXTERIOR LOCKS SHALL BE PROVIDED WITH CONSTRUCTION CORES. ALL PERMANENT CORES SHALL BE KEYPED ALIKE.
5. PERMANENT CORES SHALL BE SHIPPED TO THE RESTAURANT GENERAL MANAGER.
6. MOUNT DOOR CLOSERS ON RESTROOM OR KITCHEN SIDE ONLY.
7. LOCKNET SECURITY DOOR. COMPLETE DOOR, FRAME, AND HARDWARE PACKAGE PROVIDED BY RSCS FACILITIES CONNECTIONS.
8. PROVIDE PUSH/PULL PLATES. STOREFRONT DOOR PANIC HARDWARE SHALL BE: DOR-O-MATIC 2092 RIM PANIC HARDWARE AND EXTERIOR PULLS WITH QUALITY #520 DOOR PULL.
9. MOUNT KICKPLATE ON PUSH SIDE ONLY.
10. MAXIMUM DOOR OPERATING PRESSURE: 5 LBS INTERIOR, 8.5 LBS EXTERIOR.
11. ADA COMPLIANT ACCESSIBILITY SIGNAGE, INCLUDE BRAILLE AS REQUIRED BY LOCAL JURISDICTION - (1) MEN, (1) WOMEN. SEE G4.0.
12. RESTROOM SIGN REQUIRED. SEE G4.0.
13. INSTALL WITH APPLIED DOORS STOPS AND WEATHER STRIPS.
14. FRAMES SHALL BE PAINTED. SEE INTERIOR OR EXTERIOR ELEVATIONS.
15. PROVIDE LATCH AND STRIKE PLATE HARDWARE BY DOOR MFR. TO BE COMPATIBLE WITH LOCK.
16. PROVIDE 2" REMOVABLE ASTRAGAL FROM INSIDE ONLY.
17. OPTIONAL HARDWARE AT RESTROOM DOOR
PUSH PLATE, ROCKWOOD 70F - 8" X 16"
PULL PLATE, TRIMCO 1017-3B - 4" X 16"
18. GC TO TRIM DOOR SWEEP TO FIT DOOR.
19. SIGN TEXT: "THIS DOOR TO REMAIN UNLOCKED DURING BUSINESS HOURS".

JIM CAMPBELL
D. 614-358-7806
E-MAIL: JIM.CAMPBELL@HAMILTON PARKER.COM

GLAZING
VITROGLAZINGS
SOLARBAN 70 SOLAR CONTROL LOW-E
GLASS



GREEN

4

1

NO.	ROOM NAME	WIDTH	HEIGHT	THICK	TYPE	DOOR	FRAME	ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN	ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN	SEVENTEEN	EIGHTEEN	NINETEEN	TWENTY	COMMENTS
1	DINING	3'-0"	7'-0"	1 3/4"	A	AL	AL																				10/A6.1	4, 5, 8, 10, 13, 15, 16, 19
2	DINING	6'-0"	7'-0"	1 3/4"	B	AL	AL	X																			10/A6.1	4, 5, 8, 10, 13, 15, 16, 19
4	MEN	3'-0"	7'-0"	1 3/4"	D	WD	HM		X					X													4/A6.1	3, 6, 9, 10, 11, 12, 14, 17
5	WOMEN	3'-0"	7'-0"	1 3/4"	D	WD	HM		X					X													6/A6.4	6, 9, 10, 11, 12, 14, 17
6	OFFICE	3'-0"	7'-0"	1 3/4"	E	WD	HM					X															6/A6.4	9 OPTIONAL
7	PASSAGE	2'-0"	7'-0"	1 3/4"	F	WD	HM		X																		6/A6.4	9 BOTH SIDES, 14
9	WASHING	3'-6"	7'-0"	1 3/4"	C	HM	HM			X				X													9/A6.1	6, 7, 10, 13, 14, 15

2

33



SEE SCOPE OF WORK SHEET SW1.0 (11030-1) FOR
DRIVE-THRU WINDOW INFORMATION

$$1/4'' = 1'-0''$$

9

CAUTION: IF THIS SHEET IS NOT 22"x34" IT IS A REDUCED PRINT